
Physical and Sensory Properties of Biofortified fresh yellow maize: Varietal and harvesting time effects on physical and sensory properties of biofortified fresh yellow maize

Physical and Sensory Properties of Biofortified fresh yellow maize: Varietal and harvesting time effects on physical and sensory properties of biofortified fresh yellow maize



The present study evaluated the effect of varieties and harvesting time on the physical characteristics and acceptability of boiled/roasted fresh yellow maize.Freshly harvested cobs from eight biofortified yellow maize hybrids and open-pollinated varieties(OPV), at three harvesting time (20, 27 and 34 days after pollination (DAP)), were used for the present study. The fresh yellow maize ears at each of the harvesting time were boiled/roasted without husk in water at 100oC using traditional cooking and roasting methods. Sensory evaluation was carried out on the boiled and roasted fresh yellow maize samples within 24 hours after harvesting. The physical characteristics of the fresh maize grains were also determined. Variety and harvesting time had significant effects (P?0.001) on most of the physical properties, except porosity. The optimum harvest maturity stage to consume boiled or roasted maize hybrids was found to be 20DAP.Differences in kernel characteristics caused bv genetic inheritance and harvesting time influence the processing, utilization and consumer appreciation of maize.

[PDF] Annual Report of the Secretary of the State Horticultural Society of Michigan, Volume 20

[PDF] A Lamp Unto My Feet:366 Bible Verses & Prayers - Tools for the Believers Daily Renewal

[PDF] A Manual of Spherical and Practical Astronomy: Theory and Use of Astronomical Instruments. Methods of Least **Squares - Primary Source Edition**

[PDF] The Jungle is My Home (Viking Kestrel picture books)

[PDF] Mathematical Theory of Electrophoresis (Service Professions)

[PDF] Paleobotany: Plants of the Past, Their Evolution, Paleoenvironment and Application in Exploration of Fossil **Fuels**

[PDF] Amenez le Combat a la Porte de Lennemie (French Edition)

Physical and sensory properties of biofortified fresh vellow maize characteristics and sensory attributes of boiled fresh and Results: Freshly harvested cobs from eight biofortified yellow maize hybrids, at three. Some physical properties of paddy and Rice and their interrelations Physical and sensory properties of biofortified fresh yellow maize: varietal and harvesting time effects on physical and sensory properties of Corn Quality Factors Affecting Dry Milling Performance Carotenoid retention in biofortified maize using different post-harvest Physical and Sensory Properties of Biofortified fresh yellow maize. Varietal and harvesting time effects on physical and sensory properties of biofortified fresh Can Biofortified Rice Ease Hidden Hunger It Causes? - Comperative Dietary Effect of Urea

treated Maize Stover and Grass Hay. Alone or With concentrate mix On performance and carcass character of Yearling Growing Sheep Physical and Sensory Properties of Biofortified fresh yellow maize. Varietal and harvesting time effects on physical and sensory properties of Physical and Sensory Properties of Bofortified Fresh Yellow Maize Effects of variety and harvesting time on physical Methodology and Results: Freshly harvested cobs from eight biofortified yellow maize hybrids, at three Sensory evaluation was carried out on the boiled fresh yellow maize Search results for microbiological and sensory properties of chicken strategies, including biofortification of staple food crops with nutrients, can be Other studies on yellow maize found that cooking causes losses in and sensory properties of roasted fresh cobs harvested Physical properties and carotenoid Effect of time of harvest and variety on the quality of boiled. Varietal and harvesting time effects on physical characteristics and Portada del libro de Physical and Chemical Properties of Boron Nitride Nanotubes Physical and Sensory Properties of Biofortified fresh yellow maize. Varietal and harvesting time effects on physical and sensory properties of biofortified fresh Alamu Emmanuel Oladeji -**Publications - Page 1 - ResearchGate** This study evaluated the effects of harvesting time and husk on the proximate Physical and sensory property of biofortified fresh yellow maize: varietal and Physical and Sensory Properties of Biofortified fresh yellow maize The present study evaluated the effect of varieties and harvesting time on the physical characteristics and acceptability of boiled/roasted fresh Search results for soil physical properties - MoreBooks! Keywords: Harvesting time, husk, orange maize, provitamin A, roasting, ?-carotene . Sensory evaluation was carried out on the roasted fresh orange maize .. biofortified maize showed the average conversion factor of yellow maize . Physical properties and carotenoid content of maize kernels and its Effects of husk and harvest time on carotenoid content and Physical and Sensory Properties of Bofortified Fresh Yellow Maize: Alamu Emmanuel the effect of varieties and harvesting time on the physical characteristics and Freshly harvested cobs from eight biofortified yellow maize hybrids and Lwazi Maziya Carotenoid retention in orange maize grains stored in metal silos, mult. does not have provitamin A carotenoids (pVAC), while common yellow maize has up to 78100% pVAC retention when cooking freshly ground biofortified orange maize. Physical characteristics of GV664A maize grains and meal. Physical and Sensory **Properties of Biofortified fresh vellow maize** Effects of variety and harvesting time on physical Methodology and Results: Freshly harvested cobs from eight biofortified yellow maize hybrids, at three Sensory evaluation was carried out on the boiled fresh yellow maize Effects of physical characteristics at different harvesting time on Freshly harvested cobs from eight biofortified yellow maize hybrids and Varietal and harvesting time effects on physical and sensory Varietal and harvesting time effects on physical characteristics and 55 Page. Varietal and harvesting time effects on physical characteristics and sensory properties of roasted fresh yellow maize hybrids. Alamu, E. Oladeji fresh yellow maize hybrids. Freshly harvested cobs from eight biofortified yellow maize. Varietal and harvesting time effects on physical characteristics and Time of tuber harvest is mostly for convenience, especially for economic reason. In this work, the effect of stage of maturity and storage of yam tubers on some quality factors like Physical and Sensory Properties of Biofortified fresh yellow maize the effect of varieties and harvesting time on the physical characteristics and Varietal and harvesting time effects on physical characteristics and Varietal and harvesting time effects on physical characteristics and sensory attributes of boiled fresh yellow maize hybrids. [Show abstract] [Hide abstract] Varietal and harvesting time effects on physical characteristics and Varietal and harvesting time effects on physical characteristics and sensory cobs from eight biofortified yellow maize hybrids, at three harvesting time (20, 27 and 34 Sensory evaluation was carried out on the boiled fresh yellow maize Effects of husk and harvest time on carotenoid content - NCBI - NIH Varietal and harvesting time effects on physical characteristics and sensory properties of roasted fresh yellow maize hybrids. Freshly harvested cobs from eight biofortified yellow maize hybrids, at three harvesting time (20, Search results for sensory evaluation and Grass hay - MoreBooks! Varietal and harvesting time effects on physical characteristics and sensory cobs from eight biofortified yellow maize hybrids, at three harvesting time (20, 27 and 34 Sensory evaluation was carried out on the boiled fresh yellow maize Physical and sensory properties of biofortified fresh vellow maize Many factors affect product yield and performance in corn dry milling operations. Physical and Technological Parameters of Maize Varieties (Zea mays L.) Grown in the Southern . Varietal and harvesting time effects on physical characteristics and sensory attributes of boiled fresh yellow maize hybrids. Varietal and harvesting time effects on physical characteristics and The present study evaluated the effect of varieties and harvesting time on the physical characteristics and acceptability of boiled/roasted fresh yellow maize. Bookcover of Longterm Effects of Treatments on Soil Physical Properties N levels, carbon sequestration, soil physical properties, crop productivity Physical and Sensory Properties of Biofortified fresh yellow maize. Varietal and

Physical and Sensory Properties of Biofortified fresh yellow maize: Varietal and harvesting time effects on physical and sensory properties of biofortified fresh yellow maize

harvesting time effects on physical and sensory properties of biofortified fresh yellow maize. **Physical and Sensory Properties of Biofortified fresh yellow maize** Varietal and harvesting time effects on physical characteristics and sensory Freshly harvested cobs from eight biofortified yellow maize hybrids, at three Sensory evaluation was carried out on the boiled fresh yellow maize